

Accella Polyurethane Systems

Safety Data Sheet

1. Identification of Substance:

Product Name: ECOBAY CC ARCTIC CAN (83354438)

Supplier Identification:
Accella Polyurethane Systems

Telephone:
(281) 350-9000

Address:
2400 Spring Stuebner Rd.
Spring, TX 77389

24-Hr. Emergency Phone Number:
CHEMTREC (800) 424-9300
International: (703) 527-3887

Product Use: Polyurethane polyol component

2. Hazards Identification

GHS Ratings:

| | | |
|-------------------------------|----|---|
| Skin corrosive | 2 | Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation |
| Eye corrosive | 1 | Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity ≥ 3 , Iritis > 1.5 |
| Skin sensitizer | 1 | Skin sensitizer |
| Reproductive toxin | 1B | Presumed, Based on experimental animals |
| Organ toxin repeated exposure | 2 | Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally moderate exposure (guidance)- Human evidence in exceptional cases |

GHS Hazards

| | |
|------|---|
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H360 | May damage fertility or the unborn child |
| H373 | May cause damage to organs through prolonged or repeated exposure |

GHS Precautions

| | |
|-----------|---|
| P201 | Obtain special instructions before use |
| P202 | Do not handle until all safety precautions have been read and understood |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray |
| P264 | Wash hands thoroughly after handling |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection |
| P281 | Use personal protective equipment as required |
| P310 | Immediately call a POISON CENTER in case of overexposure. |
| P314 | Get Medical advice/attention if you feel unwell |
| P321 | Specific treatment is urgent (see Section 4 First Aid measures) |
| P362 | Take off contaminated clothing and wash before reuse |
| P363 | Wash contaminated clothing before reuse |
| P302+P352 | IF ON SKIN: Wash with soap and water |

| | |
|----------------|---|
| P305+P351+P338 | IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing |
| P308+P313 | IF exposed or concerned: Get medical advice/attention |
| P332+P313 | If skin irritation occurs: Get medical advice/attention |
| P333+P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P405 | Store locked up |
| P501 | Dispose of contents/container in accordance with Section 13 |

Signal Word: Danger



3. Composition/Data on Components:

| Chemical Name | CAS number | Weight Concentration % |
|---|------------|------------------------|
| 1,1,1,3,3-Pentafluoropropane | 460-73-1 | 10.00-20.00% |
| 2-Propanol, 1-chloro-, phosphate (3:1) | 13674-84-5 | 5.00-10.00% |
| .alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl, polymer with methyloxirane and oxirane | 26301-10-0 | 5.00-10.00% |
| Diethylene glycol | 111-46-6 | 1.00-5.00% |
| 2-Butoxyethanol | 111-76-2 | 1.00-5.00% |
| 2-Propanol, 1-[bis[3-(dimethylamino)propyl]amino]- | 67151-63-7 | 1.00-5.00% |

4. First Aid Measures:

Inhalation: If inhaled and symptoms ensue, move to fresh air. If breathing is difficult, give oxygen.

After Eye Contact: Rinse opened eye for at least 15 minutes under running water. Remove contact lenses if present and easy to do so, and continue rinsing. If irritation persists contact physician

After Skin Contact: Clean affected area with soap and plenty of water.

After Swallowing: Do not induce vomiting. Consult physician.

Notes to Physician: Treat symptomatically

5. Fire Fighting Measures:

Flash Point: 200°F, 94°C

LEL: 1.00

UEL: N/A

Upper and Lower Explosive Limits listed if known.

Suitable Extinguishing Agents: Water spray, CO2, Foam, Dry chemical

Information about Protection against Explosions and Fires: Closed containers may rupture when exposed to extreme heat.

Dangerous Products of Decomposition: Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride

6. Accidental Release Measures:

Person-Related Safety Precautions: Avoid contact with skin and eyes.

Measures for Environmental Protection: Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations. Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area.

7. Handling and Storage:

Information for Safe Handling: Avoid contact with skin or inhalation.

Storage Requirements: Store in dry, well ventilated area. Keep containers tightly closed. Store between 60°F-100°F. Material may settle.

8. Exposure Controls and Personal Protection:

| Chemical Name / CAS No. | OSHA Exposure Limits | ACGIH Exposure Limits | Other Exposure Limits |
|---|------------------------------|-----------------------|-----------------------------------|
| 1,1,1,3,3-Pentafluoropropane 460-73-1 | Not Established | Not Established | Not Established |
| 2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5 | Not Established | Not Established | Not Established |
| .alpha.-D- Glucopyranoside, .beta.-D- fructofuranosyl, polymer with methyloxirane and oxirane 26301-10-0 | Not Established | Not Established | Not Established |
| Diethylene glycol 111-46-6 | Not Established | Not Established | Not Established |
| 2-Butoxyethanol 111-76-2 | 50 ppm TWA; 240 mg/m3 TWA | 20 ppm TWA | NIOSH: 5 ppm TWA; 24 mg/m3 TWA |
| 2-Propanol, 1-[bis[3- (dimethylamino)propyl] amino]- 67151-63-7 | Not Established | Not Established | Not Established |

Engineering Controls: No specific measures required. If spraying mixed with isocyanate component refer to that SDS for exposure limits and recommended exhaust ventilation.

General Protective and Hygienic Measures: Usual precautionary measures should be adhered to when handling chemicals.

Respiratory protection: None required if work area is properly ventilated.

Hand Protection: Protective chemical resistant gloves.

Eye Protection: Safety glasses.

Body Protection: Protective work clothing. Launder separately.

9. Physical and Chemical Properties:

Physical properties listed where known.

| | |
|--|---|
| Appearance: Blue liquid Vapor Pressure: N/A Vapor Density: N/A Density: 1.01 Freezing point: N/A Boiling range: 15 - 342°C Evaporation rate: N/A Explosive Limits: 1% Autoignition temperature: 229°C | Odor: Mild Odor threshold: N/A pH: N/A Melting point: N/A Solubility: N/A Flash point: 200°F, 94°F Flammability: N/A Partition coefficient (n-octanol/water): N/A Decomposition temperature: N/A |
|--|---|

10. Stability and Reactivity:

Chemical Incompatible Materials: Avoid contact with isocyanates and strong oxidizing agents.

Hazardous Polymerization: Not expected to occur.

Dangerous Products of Decomposition: Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride

11. Toxicological Information:

Mixture Toxicity

Oral Toxicity LD50: 4,566mg/kg

Inhalation Toxicity LC50: 59mg/L

Component Toxicity

13674-84-5 2-Propanol, 1-chloro-, phosphate (3:1)

Oral LD50: 500 mg/kg (Rat) Dermal LD50: 1,230 mg/kg (Rabbit) Inhalation LC50: 5 mg/L (Rat)

111-76-2 2-Butoxyethanol

Oral LD50: 470 mg/kg (Rat) Dermal LD50: 1,250 mg/kg (Rabbit) Inhalation LC50: 450 ppm (Rat)

Individual Toxicity Values Listed if Known

Acute Toxicity:

Eyes: Irritating to eyes

Skin: Harmful in contact with skin

Inhalation: Not expected to be a route of exposure

Ingestion: Harmful if swallowed. Consult physician

Chronic Effects: Possible harmful target organ effects

Routes of Entry: Ingestion, skin contact, eye contact

Target Organs: Skin, eyes, digestive tract, kidneys

Chemicals with Known or Possible Carcinogenic Effects:

| <u>CAS Number</u> | <u>Description</u> | <u>% Weight</u> | <u>Carcinogen Rating</u> |
|-------------------|--------------------|-----------------|--------------------------|
| None | | | No data available |

12. Ecological Information:

General Information: Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13. Individual component ecotoxicity listed if known.

Component Ecotoxicity

| | |
|--|---|
| 2-Propanol, 1-chloro-, phosphate (3:1) | 96 Hr LC50 Brachydanio rerio: 56.2 mg/L [static]; 96 Hr LC50 Pimephales promelas: 98 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 30 mg/L [static] 48 Hr EC50 Daphnia magna: 63 mg/L 72 Hr EC50 Desmodemus subspicatus: 45 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 4 mg/L |
| Diethylene glycol | 96 Hr LC50 Pimephales promelas: 75200 mg/L [flow-through] 48 Hr EC50 Daphnia magna: 84000 mg/L |
| 2-Butoxyethanol | 96 Hr LC50 Lepomis macrochirus: 1490 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 2950 mg/L 48 Hr EC50 Daphnia magna: >1000 mg/L |

13. Disposal Considerations:

Recommendation: Observe local requirements. Dispose of in accordance with local/state/federal regulations.

14. Transport Information:

Not considered a dangerous good according to transport regulations unless specifically cited below:

| <u>Agency</u> | <u>Proper Shipping Name</u> | <u>UN Number</u> | <u>Packing Group</u> | <u>Hazard Class</u> |
|---------------|--|------------------|----------------------|---------------------|
| ICAO/IATA | Aviation Regulated Substance, N.O.S. (Contains Hydrofluorocarbons) | 3334 | III | 9 |

15. Regulatory Information:

OSHA HAZARD COMMUNICATION STANDARD: This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

SARA 311/312 Hazard Categories: Acute health hazard, chronic health hazard

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute unless otherwise listed:

Warning: This product contains chemicals known to the State of California to cause cancer and/or birth defects or other reproductive harm:

- None

Massachusetts Right To Know List:

2-Butoxyethanol 111-76-2 1.00 to 5.00 %

New Jersey Right To Know List:

2-Butoxyethanol 111-76-2 1.00 to 5.00 %

Pennsylvania Right To Know List:

2-Butoxyethanol 111-76-2 1.00 to 5.00 %
Diethylene glycol 111-46-6 1.00 to 5.00 %

SARA 302 Extremely Hazardous Substances:

- None

Chemicals subject to SARA 313 Reporting:

- None

This product contains the following REACH listed Substances of Very High Concern (SVHC):

- None

| <u>Country</u> | <u>Regulation</u> | <u>All Components Listed</u> |
|----------------|------------------------------|------------------------------|
| Canada | Canada DSL | Yes |
| US | Toxic Substances Control Act | Yes |

16. Other Information:

Safety Data Sheet issued by Product Safety Department

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Accella Polyurethane Systems. The data on these sheets relates only to the specific material designated herein. Accella Polyurethane Systems assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.

Date revised: 2017-03-19

Reviewer Revision 0

Date Prepared: 3/19/2017